

# Bartoline



## PRODUCT GUIDE





## CONTENTS

---

About Us	3
Solvents	6
Adhesives	10
Fillers	15
Decorating Sundries	21
Woodcare	28
Sealants	33
Home & Garden	38



## ABOUT US

Bartoline Limited, a privately-owned family business first established in 1876, is Europe's leading manufacturer of decorating sundries for the home improvement industry. Products include pre-packed paint solvents, fillers, adhesives, sugar soaps, paint strippers, garden wood protection products, paraffin, BBQ lighting fluid, etc.

Originally founded as coal importers/exporters, the company diversified into automotive and industrial lubricant blending at the turn of the 20<sup>th</sup> century. The mid 1970's saw a further change of direction into decorating products, where the company sought to capitalise on the burgeoning popularity of home DIY and the proliferation of large multiple DIY retailers.

In 1999, the company acquired wallcovering adhesive and filler manufacturer Modus Products, which enabled product expansion away from traditional solvent products into a wider array of decorating sundries. As a result, the business grew quickly, and together with the in-house development of other product ranges, an increased market share was achieved.

In May 2003, the company suffered a devastating fire which completely destroyed the whole production facility, offices and warehousing. An extensive recovery programme was implemented resulting in the most modern and safe factory in Europe for packing solvents and associated products. The £5m liquid manufacturing plant was officially opened on 16th October 2006 by Secretary of State for Trade and Industry, Alistair Darling.

New premises were also acquired adjacent to the liquid filling plant, which was re-engineered for the manufacture of adhesives and fillers. The new facilities allowed the company to embark on an ambitious expansion plan eventually resulting in a five-fold increase in sales within the UK. The increase in capacity has also allowed expansion for exports which are developing at an even faster rate.





The rebuild also enabled investment in highly automated process equipment. Dedicated high volume rotary filling lines ensure costly and time-consuming changeovers are a thing of the past and enable fast moving product ranges to be delivered to customers in full, and within industry leading lead times.

Investment has continued apace with a new £500,000 filler process system being installed recently. Two new silos and a computerised dosing facility, means accurate formulating down to just a few grams of material.

Looking to the future and to enable further growth, the company purchased a parcel of land between the two factory sites with the aim of building a bespoke raw material and packaging warehouse. It is expected this will be complete late 2019.

A fleet of modern delivery vehicles are based at Beverley, and with their striking corporate livery, are a familiar sight on Britain's roads. These enable deliveries from a few cartons to a maximum of 46 pallets utilising efficient double deck trailer units.

The popular market town of Beverley, East Yorkshire, is an ideal location for the company's manufacturing sites, head office and warehouses. The central location near the M62 ensures close proximity to all major road networks in the UK. The port of Hull is also just 8 miles away enabling easy access to Europe and beyond.

Products are manufactured and distributed extensively through retail, wholesale and trade outlets, throughout the United Kingdom and an ever-expanding number of countries overseas. As well as traditional export markets such as the middle east and Africa, recent successes include Australia, Kazakhstan, Chile, Moldova and many others.

Continual investment is being made in overseas markets with attendance at many high-profile trade fairs. In Europe, Heimtextil and Practical World are regularly attended, as is BIG 5 in Dubai. As more markets are explored, further investment at export exhibitions is being planned, with Mosbuild in Moscow and The National Hardware Show in Las Vegas being the most recent.

Bartoline has established a strong brand identity that has become instantly recognisable on retailers' shelves. This has recently been enhanced further with a complete redesign of the whole range to provide a more modern and streamlined look, and a powerful and formidable alternative to competitors.

Customer's private label requirements represent a significant part of the company's business, with most of the UK's leading multiple DIY retailers being supplied, as well as supermarkets, trade outlets, wholesalers, etc. A service is provided which can include everything from the original design concept to finished product. Toll manufacturing is also a growing specialty with many blue chip companies taking advantage of the superior facilities on offer.

New products are always being developed in-house. Clean Spirit, a new safer alternative to White Spirit and other traditional paint solvents was recently introduced and has become an instant sales success, whilst at the same time contributing to a reduction in VOCs.

The company strives to meet the exacting standards demanded by the industry. Not only does ISO 9001 certification ensure customers can rely on first class quality and consistency, ISO 14001 and ISO 45001 guarantees that safety and the environment are always at the forefront of operations. Regular audits by the world's largest retailers also ensures compliance with some of the most stringent ethical requirements.



Bartoline



# Solvents

An extensive range of paint solvent products for use by both the professional decorator and home owner

**White Spirit • Turpentine Substitute • Premium Low Odour White Spirit  
Methylated Spirit • Pure Turpentine**



## WHITE SPIRIT

Bartoline White Spirit is a top-quality solvent refined to meet the strict requirements of BS.245. It is recommended for paint thinning as it will not affect the drying time of the majority of oil-based paints. Also suitable for cleaning paint brushes and for general DIY cleaning purposes. White Spirit is the most popular and widely used of all paint solvents.

**Application:** Cleaning paint brushes, paint spills and thinning solvent/oil-based paints.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	19925190	5010789925192	05010789192587	6	195	1170	39	5
750ml Bottle	19925070	5010789925130	05010789925086	12	68	816	17	4
2L Bottle	19925020	5010789925024	05010789925031	8	44	352	11	4
4L Bottle	19925240	5010789925246	05010789925253	4	40	160	10	4
20L Drum	19922380	-	-	-	-	42	14	3

## TURPENTINE SUBSTITUTE

Bartoline Turpentine Substitute is a hydrocarbon solvent suitable for general DIY cleaning purposes, cleaning paint spills and paint brushes.

**Application:** Cleaning brushes and paint tools, and for paint spills. Not to be used for thinning oil-based paints as the drying time may be affected.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
750ml Bottle	19515070	5010789515133	05010789515089	12	68	816	17	4
2L Bottle	19514990	5010789514990	05010789515003	8	44	352	11	4
4L Bottle	19515390	5010789515393	05010789515409	4	40	160	10	4
20L Drum	19512070	-	-	-	-	42	14	3

## PREMIUM LOW ODOUR WHITE SPIRIT

Bartoline Low Odour White Spirit is a top quality low odour solvent refined to meet the requirements of BS.245 Type A. It is suitable for all similar applications as standard White Spirit, but has a milder odour, proving more suitable for use indoors or in confined spaces.

**Application:** Cleans brushes and paint tools. Suitable for paint spills as well as thinning solvent/oil-based paints.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
750ml Bottle	19944611	5010789944612	05010789944629	12	68	816	17	4
2L Bottle	19944601	5010789944605	05010789944612	8	44	352	11	4

## METHYLATED SPIRIT

Bartoline Methylated Spirit is traditionally used as a fuel for alcohol burners, fondues and camping stoves. This product is completely denatured alcohol and should not be confused with industrial denatured alcohol or trade specific denatured alcohol in accordance with The Denatured Alcohol Regulations 2013. It contains only virgin raw materials and is not manufactured from inferior recovered or reclaimed materials.

**Application:** Fuel for alcohol burners and camping stoves and also a smear-free hard surface cleaner. May also be used as a stain remover for sticker adhesives and marker pen ink.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
250ml Bottle	55594890	5010789559489	05010789671952	12	174	2088	29	6
500ml Bottle	55590000	5010789590000	05010789878535	6	156	936	39	4
2L Bottle	55594600	5010789594602	05010789594619	6	48	288	12	4
5L Bottle	55590010	5010789590017	05010789590024	4	30	120	10	3



## PURE TURPENTINE

Bartoline Pure Turpentine is a non-hydrocarbon naturally organic based solvent particularly favoured by artists for use with oil-based paints as a cleaner and thinner. It is manufactured from the distillate which is extruded from pine trees.

**Application:** Cleaner and thinner for use with artists' oil paints.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
250ml Bottle	19594890	5010789594893	05010789806903	12	174	2088	29	6
500ml Bottle	19595000	5010789595005	05010789222697	6	195	1170	39	5



# Adhesives

A diverse range of high-performance adhesives to ensure decorating is completed to the highest standards

**All Purpose Wallpaper Adhesive • Easipaste® Ready Mixed Wallcovering Adhesive**  
**Professional Ready Mixed Wallcovering Adhesive • Border & Overlap Adhesive**  
**PVA Adhesive & Sealer • Fast Drying Wood Glue • Fix & Grout Tile Adhesive • Wall Tile Grout**



## ALL PURPOSE WALLPAPER ADHESIVE

Bartoline All Purpose Wallpaper Adhesive is a traditional high-quality starch-based flake. Easy to mix in just 30 seconds, and ready to use in under 4 minutes, it spreads easily and has excellent slip properties for accurate positioning with long-lasting results.

**Application:** Hanging all wallpaper types including woodchip, washables, vinyls and heavy embossed papers. Also suitable for applying polystyrene tiles, and for use as a size for sealing newly plastered walls prior to papering.

Available in handy counter display boxes, as well as standard cartons.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
5 Roll	59942740	5010789942748	05010789501136	40	54	2160	9	6
5 Roll Display Box	59942741	5010789942748	05010789942755	25	90	2250	15	6
10 Roll	59942750	5010789942755	05010789606626	25	54	1350	9	6
10 Roll Display Box	59942751	5010789942755	05010789942762	12	90	1080	15	6
30 Roll Box (3 X Sachets)	59943260	5010789943264	05010789456801	10	30	300	6	5

## EASIPASTE® READY MIXED WALLCOVERING ADHESIVE

Bartoline Easipaste® provides high initial tack with good slip properties and powerful final adhesion. Recommended for use with most wallpaper brands. No mixing or dilution is required.

**Application:** Suitable for all types of wallcoverings including vinyl, blown vinyl, heavy embossed, non-woven, washables and 'paste the wall' wallcoverings.

Also recommended for use with Contour, Coloroll, Terazza, Mayfair, Murel, Harlequin, Anaglypta, etc.

**Coverage:** 1Kg of Easipaste® is sufficient to hang approximately one 10 metre roll of standard wallcovering, or half a roll of embossed or heavy embossed wallcovering.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
1Kg Tub	58510973	5010789510978	05010789513078	6	70	420	10	7
2.5Kg Bucket	58510920	5010789510923	-	-	-	168	28	6
5Kg Bucket	58510930	5010789510930	-	-	-	100	25	4
10Kg Bucket	58510940	5010789510947	-	-	-	48	12	4

## PROFESSIONAL READY MIXED WALLCOVERING ADHESIVE

Bartoline Extra Strong Professional Ready Mixed Wallcovering Adhesive is a technically advanced ready to use wallpaper adhesive manufactured from a hot blend of high-quality starch and PVA emulsions. The super-smooth easily applied adhesive has strong grab and easy slide properties. It is the professional decorator's choice for perfect wallpaper hanging every time.

**Application:** Specially formulated for use with luxury vinyl (both paper and fabric backed), textiles, hessians, polystyrene tiles, polystyrene coving and polystyrene veneers.

Also recommended for use with Contour, Coloroll, Terazza, Mayfair, Murel, Harlequin, Anaglypta, etc.

**Coverage:** Approximately 5 square metres per Kilo.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
1Kg Tub	58510380	5010789510381	05010789691097	6	70	420	10	7
2.5Kg Bucket	58510390	5010789510398	-	-	-	168	28	6
5Kg Bucket	58510400	5010789510404	-	-	-	100	25	4
10Kg Bucket	58510410	5010789510411	-	-	-	48	12	4

## BORDER & OVERLAP ADHESIVE

Bartoline Border & Overlap Adhesive is a specially formulated adhesive for fixing decorative borders to interior surfaces, including vinyl.

Possessing high grab properties, easy to apply to all borders, and can also be used to reattach torn and ripped wallcoverings, and fixing seams.

**Application:** Used primarily for fixing decorative borders to interior surfaces, and for minor repairs to existing wallcoverings. Simple to apply and enables the border to slide into position easily.

**Coverage:** Approximately 250g of adhesive for a standard 10m x 13cm border.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
250g Squeezy Tube	58509151	5010789509156	05010789356415	6	236	1416	59	4
500g Tub	58500371	5010789500375	05010789704476	6	160	960	20	8
1Kg Tub	58500381	5010789500382	05010789568672	6	72	432	9	8

## PVA ADHESIVE & SEALER

Bartoline PVA Adhesive & Sealer is a Multi Purpose product which can be used in a variety of applications. Can be used as a primer to seal porous substrates; as an effective adhesive to bond materials together; or as a dust-proofer for mortar surfaces such as concrete and plaster. Especially suitable as an additive for cement to increase adhesion properties.

**Application:** Will bond most materials including wood, brick, ceramic tiles, carpet, cardboard, polystyrene, fabric, leather and other similar porous substrates. Can be used to seal old concrete, plaster and plasterboard in preparation for tiling or further coating.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Tub	58505180	5010789505189	05010789889555	6	160	960	20	8
1L Tub	58505190	5010789505196	05010789879907	6	72	432	9	8
2.5L Bottle	58505200	5010789505202	05010789656089	4	45	180	15	3
5L Bottle	58505210	5010789505219	05010789544881	4	30	120	10	3

## FAST DRYING WOOD GLUE

Bartoline Ready-To-Use Fast Drying Wood Glue is a high-performance water-resistant adhesive that provides a rapid bond. The glue dries clear, exhibits excellent resistance to 'creep', and can be used in areas of high humidity, or where short-term water contact occurs such as kitchens and bathrooms. Supplied in bottles incorporating handy application spouts means minimal clean up required.

**Application:** Suitable for all types of wood, including MDF and chipboard and meets the requirements of Category D3 of EN 204 and BS 14256 Sustained Load Requirements.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
125ml Bottle	58500550	5010789500559	05010789190088	12	240	2880	30	8
250ml Bottle	58500560	5010789500566	05010789236311	6	280	1680	56	5
500ml Bottle	58500570	5010789500573	05010789304966	6	140	840	35	4

## FIX & GROUT TILE ADHESIVE

Bartoline Fix & Grout is a high-quality waterproof wall tile adhesive which dries super white. Can be used in areas of high humidity such as kitchens, bathrooms, showers and is also ideal for fixing loose and broken tiles to wood, and most other surfaces subject to small movement. Perfect for grouting and meets the European harmonised requirements of BS EN 12004:2007+A1:2012 (Adhesives for tiles. Requirements, evaluation of conformity, classification and designation). Available in tubs and a handy squeeze tube for those smaller jobs around the house.

**Application:** For fixing tiles to most substrates and ideal for grouting.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
330g Squeezy Tube	52850120	5010789850128	05010789420666	6	236	1416	59	4
500g Tub	52850150	5010789850159	05010789158699	6	176	1056	16	11
1Kg Tub	52850130	5010789850135	05010789366315	6	96	576	12	8
2.5Kg Bucket	52850140	5010789850142	05010789850159	8	27	216	9	3

## WALL TILE GROUT

Bartoline Wall Tile Grout Powder is a fully waterproof cement-based powdered tile grouting compound suitable for use on all ceramic wall tiles and mosaics. Easily mixed to a smooth consistency, can be used on joints up to 3mm, and sets fast. May also be used externally if required and dries super white.

**Application:** Ideal for use in areas where water is present such as showers, bathrooms and kitchens.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500g Box	52853220	5010789853228	05010789616007	12	84	1008	14	6
2Kg Box	52853230	5010789853235	05010789601195	6	65	390	13	5



# Bartoline

## Fillers

A complete range of filler products to repair most cracks and holes

**Multi Purpose Powder Filler** • **All Purpose Ready Mixed Filler**  
**Instant Filler** • **Fine Surface Filler** • **Lightweight Filler** • **Wood Filler**  
**Ready Mixed Exterior Filler** • **Plaster Skim & Repair** • **Patching Plaster**



## MULTI PURPOSE POWDER FILLER

Bartoline Multi Purpose Filler Powder is an easy to mix and simple to use traditional filler ideal for preparing surfaces by filling cracks and holes in walls, ceilings, around door frames and skirting boards. It has excellent adhesive properties to keep the filler firmly in position and sets hard enough to take nails or screws. It also provides a smooth white surface for overpainting or wallpapering, which does not shrink, and may be sanded when dry. Suitable for exterior use providing it is sealed with an oil-based paint or varnish.

**Application:** Repairs to plaster, plasterboard, wood, brick, stone and most other building materials.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
450g Box	52713240	5010789713249	05010789503451	12	84	1008	14	6
1.5Kg Box	52713250	5010789713256	05010789311643	6	65	390	13	5
9Kg Sacks (6 x 1.5Kg)	52710018	5010789710019	-	-	-	50	10	5

## ALL PURPOSE READY MIXED FILLER

Bartoline All Purpose Ready Mixed Filler is a ready to use product suitable for both interior and exterior applications. Simple to use and dries white. May be sanded when dry, although often unnecessary as the product is extremely smooth. Must be sealed with an oil-based paint or varnish when being used outdoors.

**Application:** Ideal for interior and exterior repairs to all types of plaster, plasterboard, brick, stone and timber. Not to be used on surfaces regularly under water.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
600g Tub	52720351	5010789720353	05010789629366	6	160	960	20	8
1Kg Tub	52720361	5010789720360	05010789822491	6	96	576	12	8

## INSTANT FILLER

Bartoline Ready To Use Instant Filler is specially formulated for speedy smaller jobs around the home. Incorporating quick drying properties, it enables repairs to be carried out fast and efficiently. Dries white and smooth and may be sanded to a finish suitable for overpainting or wallpapering. May also be used externally, provided the repair is sealed when dry with a suitable oil-based paint or varnish. Packed in handy squeeze tubes thereby allowing direct application where it's needed.

**Application:** Repairs to plaster, plasterboard, brick, wood, stone, etc. In larger areas, apply filler in layers of no more than 6mm thick.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
330g Squeeze Tube	52729161	5010789729165	05010789630492	6	236	1416	59	4



## FINE SURFACE FILLER

Bartoline Fine Surface Filler is a ready to use super smooth filler paste, which is perfect for repairs to small holes, dents and nicks and a wide range of imperfect interior surfaces. It has good adhesion and gives a strong repair in all applications. Contains fine particles enabling a beautifully smooth white finish ready for overpainting. Can also be used outdoors, providing the repair is sealed with a suitable oil-based paint or varnish when dry.

**Application:** Ideal for repairs to brickwork, stone, plaster, wood and other materials. Especially suitable for smaller cracks, although it may be used for larger holes as well. If a deeper repair is required, build up the filler in thin layers, or use Bartoline All Purpose Ready Mixed Filler, followed by the Fine Surface Filler. For a perfect finish fill slightly proud of the surrounding surface and use fine abrasive to blend in the repair.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
300g Squeezy Tube	52720371	5010789720377	05010789475727	6	236	1416	59	4
600g Tub	52720330	5010789720339	05010789732455	6	160	960	20	8

## LIGHTWEIGHT FILLER

Bartoline Lightweight Filler is an easy to apply high-tech ready-to-use lightweight filler suitable for a multitude of tasks around the home and workplace. Utilising ultra-modern glass bead technology, it outperforms most other conventional fillers. When filling large cracks and gaps there is no need to build layers, as no sagging or shrinkage will be evident, even on ceilings. Dries brilliant white with a perfectly smooth finish requiring no sanding. Product may be overpainted in approximately 30 minutes.

**Application:** Suitable for interior or exterior use on all surfaces except plastics and metals. Not suitable for fixing structural bolts. May be overpainted with latex paint 15 minutes after application.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Tub	52740500	5010789740504	05010789152932	6	112	672	16	7
1L Tub	52741000	5010789741006	05010789741013	6	50	300	10	5

## WOOD FILLER

Bartoline Ready Mixed Wood Filler has been formulated for all types of repairs to both interior and exterior wood. The acrylic formulation gives great adhesion with a small amount of flexibility when set, and can be stained, varnished or painted as required. Available in tubs and handy squeeze tubes, in both white and brown shades, allowing direct application to the repair site.

**Application:** Window frames, doors and skirting boards where an element of flexibility is required. When used externally must be sealed with an oil-based paint or varnish.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
330g Squeeze Tube White	52720210	5010789720216	05010789608972	6	236	1416	59	4
500g Tub White	52720230	5010789720230	05010789313388	6	176	1056	16	11
1Kg Tub White	52720277	5010789720278	05010789356583	6	96	576	12	8
330g Squeeze Tube Brown	52720220	5010789720223	05010789751449	6	236	1416	59	4
500g Tub Brown	52720240	5010789720247	05010789144586	6	176	1056	16	11

## READY MIXED EXTERIOR FILLER

Bartoline Ready Mixed Exterior Filler is a ready to use filler with adhesive properties which allow for a wide range of external applications. When set, the filler is hard and durable. Shrink and crack resistant and dries with a white finish. Available in handy squeeze tubes allowing direct application to the repair site.

**Application:** Suitable for repairing cracks, holes and gaps in exterior rendering, brick, stone, wood and most building materials. For long lasting protection the repair should be sealed with an oil-based paint or varnish. Not for use on surfaces regularly under water.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
330g Squeeze Tube	52720737	5010789720735	05010789353766	6	236	1416	59	4

## PLASTER SKIM & REPAIR

Bartoline Ready Mixed Plaster Skim & Repair is suitable for repairs to plaster and plasterboard prior to decorating. The formulation has excellent wet adhesion making it easy to apply, and will not slump on vertical surfaces, meaning it can be easily smoothed. When the surface is dry it can be painted or wallpapered.

**Application:** Will cover holes up to 3mm deep. For larger cavities Bartoline Ready to Use All Purpose Filler should be used, followed by Plaster Skim & Repair. Surfaces should be sealed with a plaster sealer or sealer/PVA mix before wallpapering.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
2.5L Tub	52832502	5010789832506	-	-	-	168	28	6

## PATCHING PLASTER

Bartoline Patching Plaster is specially formulated to fill cracks and holes in walls, ceilings and around door frames and skirting boards. The plaster gives a perfect smooth surface before painting or wallpapering. Very easy to mix, simple to use and does not shrink or crack. Has excellent adhesion properties which keeps the plaster firmly in position. Can be applied with a trowel in layers up to 12mm thick.

**Application:** For repairs to plaster, plasterboard, wood, brick, stone and most other building materials.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
1.5Kg Box	52710070	5010789710071	05010789829179	6	65	390	13	5



# Decorating Sundries

A wide range of sundries to help clean and maintain surfaces, brushes, rollers, tools etc.

**Clean Spirit® • Clean Spirit® Paint Wipes • TX10 Paint & Varnish Stripper  
Brush Cleaner • Sugar Soap Liquid • Traditional Powder Sugar Soap • Sugar Soap Wipes  
Bitcote Black Bitumen Paint • Wallpaper Stripper • Brush Restorer**



## CLEAN SPIRIT®

Bartoline Clean Spirit® is a highly effective water-based alternative to White Spirit that is safer to use and safer for the environment. The formulation is a high-tech mix of biodegradable low VOC components. Clean Spirit® is non-toxic, virtually odourless and is non-flammable. Containing a unique conditioning agent leaving brushes soft and supple to the touch.

**Application:** Can be used to clean all water-based, and most oil-based paints from brushes, rollers and paint pads. May also be used to clean paint spills from surfaces such as worktops, laminate flooring, most textiles and glass etc.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
750ml Bottle	19950100	5010789950101	05010789950118	12	68	816	17	4
2L Bottle	19955020	5010789955021	05010789955038	8	44	352	11	4

## CLEAN SPIRIT® PAINT WIPES

Bartoline Clean Spirit® Paint Wipes are perfect for fast and easy clean-up of wet paint, varnish and other spills from hands, tools, windows, floors, worktops, and many more surfaces. No more chapped hands due to cleaning up with harsh solvents or turpentine. The handy pop-up lid keeps the wipes moist and ready to use. Ideal for home or on the move.

**Application:** Ideal for cleaning spills, drips and splatters from almost any non-porous surface.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
80XL Tub	16950030	5010789950033	05010789324223	6	60	360	15	4

## TX10 PAINT & VARNISH STRIPPER

Bartoline TX10 Paint and Varnish Stripper is a highly effective non-Methylene Chloride stripper ideal for use by inexperienced DIYers as well as professional users. The non-caustic formulation is quick and easy to use, both indoors and out, and can remove multiple layers at a time.

**Application:** Removal of old paint and varnishes, including polyurethane.

Suitable for use on wood, metal, glass, plaster and concrete. May not be used on plastics. Also suitable for removing old hardened paint from paint brushes, rollers and tools.

**Coverage:** 1 Litre is sufficient to strip a surface area of approximately 1 square metre.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	55878754	5010789878757	05010789373245	6	120	720	30	4
1L Bottle	55878776	5010789878771	05010789775421	6	60	360	20	3
2.5L Bottle	55878765	5010789878764	05010789878771	6	27	162	9	3
5L Bottle	55878787	5010789878788	05010789878795	4	20	80	10	2

## BRUSH CLEANER

Bartoline Brush Cleaner is a quick and effective water-soluble solvent suitable for cleaning most oil-based paints from paint brushes and rollers. Washing in warm water afterwards removes most residual traces of paint giving brushes a new lease of life.

**Application:** Not suitable for cellulose or water-based paints.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	10954811	5010789954819	05010789470029	6	144	864	36	4
1L Bottle	10954670	5010789954673	05010789802394	6	81	486	27	3
2L Bottle	10954750	5010789954758	05010789954765	8	44	352	11	4

## SUGAR SOAP LIQUID

Bartoline Sugar Soap Liquid is specially formulated for the cleaning and preparation of all paintwork. Enables the decorator to clean and remove dirt, grease, nicotine, etc, prior to painting and is also excellent as a general household cleaner. Simple to use, non-toxic and is available in standard bottles or a ready-to-use handy trigger spray removing the requirement to dilute with water prior to use.

**Application:** May be used on any painted hard surface, tiles, vinyl floors, baths, wash basins etc.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	69404811	5010789404819	05010789359539	6	144	864	36	4
1L Bottle	69404670	5010789404673	05010789695019	6	81	486	27	3
500ml Trigger Spray	69404820	5010789404826	05010789164744	6	124	744	31	4

## TRADITIONAL POWDER SUGAR SOAP

Bartoline Traditional Powder Sugar Soap is a powerful and effective non-detergent, low suds cleaner. Blended from several different powders, it has been used by professional decorators for many years, for preparing surfaces prior to painting. It cuts through grease and grime, including nicotine stains, and makes repainting easier. May be used both inside and outside.

**Application:** Preparing surfaces prior to painting and flattening gloss paint to allow repainting without the need for undercoating. Will remove old paint stains from masonry, facing slabs and stonework. Removes moss from flagstones. Also suitable for cleaning garage floors and driveways. Will clean oil and grease from concrete and asphalt surfaces; may be used for cleaning baths, basins and ceramic tiles; and for use as a general household cleaner.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500g Box	69400390	5010789400392	05010789400408	12	84	1008	14	6
1.5Kg Box	69400368	5010789400361	05010789838669	6	65	390	13	5

## SUGAR SOAP WIPES

Bartoline Sugar Soap Wipes provide a convenient way to clean all types of painted surfaces prior to painting. Impregnated with a powerful degreasing rinse-free agent, enabling surfaces to be immediately painted once dry. Ideal for use by professional decorators as well as DIY enthusiasts. Can also be used to clean sinks and sanitary appliances, or for general kitchen cleaning.

**Application:** Hard surfaces including wood, metal, plastics, ceramics etc.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
80XL Tub	16950020	5010789950026	05010789860301	6	60	360	15	4



## BITCOTE BLACK BITUMEN PAINT

Bartoline Bitcote Black Bitumen Paint has been synonymous with high-quality Bitumen products for decades, and has become established as a brand leader in both retail and trade sectors. Manufactured from carefully selected Bitumens dissolved in a unique petroleum solvent mix, Bitcote is easy to apply and benefits from having anti-rust, waterproofing, flexible and durable properties. Touch dry in approximately 4 - 8 hours at normal temperatures with a glossy finish turning dull after a period of time. Bitcote has been extensively used by the agricultural community for many years for protecting fences and barns.

**Application:** An outstanding anti-corrosive solution for brush application on a wide range of materials including steel and iron fabrications, timber, concrete and brickwork. It may also be used as a coating for vehicle chassis.

**Coverage:** 1 Litre of Bitcote is sufficient to cover approximately 9 - 13 square metres, depending upon surface porosity.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
1L Tin	40487580	5010789487584	05010789487591	6	78	468	12	6
2.5L Tin	40487600	5010789487607	05010789487614	6	42	252	7	6
5L Tin	40487530	5010789487539	05010789487546	4	36	144	9	4
20L Drum	40482070	5010789482077	-	-	-	32	16	2
205L Drum	40480500	-	-	-	-	4	4	1



## WALLPAPER STRIPPER

Bartoline Wallpaper Stripper is a concentrated liquid product formulated to aid the fast removal of wallpaper. Requiring dilution with water a 1 Litre bottle will provide 37 Litres of stripper. It quickly penetrates to make wallpaper stripping as easy as possible.

**Application:** May be applied with either a sponge or roller.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	68444811	5010789444815	05010789410087	6	144	864	36	4
1L Bottle	68444670	5010789444761	05010789762339	6	81	486	27	3

## BRUSH RESTORER

Bartoline Brush Restorer is a highly efficient blend of solvents that provides a quick and effective method of removing hardened paint and varnish from old and neglected brushes, rollers and other painting tools.

**Application:** For softening hardened brushes, and paint tools. Works on most paints. Emulsion paint may require longer treatment.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	18458731	5010789468613	05010789260446	6	144	864	36	4



# Woodcare

A full range of high-quality timber treatments for the home and garden

**Creocote Oil-Based Timber Treatment • Traditional Dark Brown Coal Tar Creosote  
Timbercare Shed & Fence Treatment • Teak Oil • Boiled Linseed Oil • Raw Linseed Oil  
Patent Knotting**



## CREOCOTE OIL-BASED TIMBER TREATMENT

Bartoline Creocote is an oil-based wood treatment, effective when applied to exterior timbers. Its oil-based properties provide excellent surface water repellence, improve grain definition and restrict weather damage. Supplied in both traditional light and dark brown shades.

**Application:** Rough cut exterior timbers such as garden sheds, fences and trellis work. For timbers being set in the ground, apply Bartoline Bitcote Bitumen Paint to protect against groundwater saturation.

**Coverage:** 1 Litre will cover 6 - 8 square meters depending upon texture and porosity of the timber to be treated.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
4L Bottle Light Brown	82304570	5010789304577	05010789304584	4	40	160	10	4
20L Drum Light Brown	82302380	5010789302382	-	-	-	32	16	2
205L Drum Light Brown	82300500	-	-	-	-	4	4	1
4L Bottle Dark Brown	82314570	5010789314576	05010789314583	4	40	160	10	4
20L Drum Dark Brown	82312380	5010789312381	-	-	-	32	16	2
205L Drum Dark Brown	82310500	-	-	-	-	4	4	1

## TRADITIONAL DARK BROWN COAL TAR CREOSOTE

Bartoline Coal Tar Creosote is a highly effective wood preservative made from a complex mixture of hydrocarbon oils containing a controlled amount of tar acids. It prevents timber from drying out and splitting, inhibits the growth of fungi and at the same time destroys insects which might otherwise damage the wood.

Coal Tar Creosote has been used for generations and continues to represent excellent value for money. The high preservative qualities ensure maximum protection for outside rough-cut timbers.

In July 2003, it became an offence for the general public to purchase and apply Coal Tar Creosote. However, the product is still available for sale to tradespeople, such as the agricultural community, builders, etc., who are still able to purchase Coal Tar Creosote, providing they do not resell to the general householder. It is the responsibility of the purchaser to ensure only genuine tradespeople are supplied. Contains: CREOSOTE 100% w/w (1000g/l). This product is approved under The Control of Pesticides Regulations 1986 (as amended). HSE No. 7309. Use biocides safely. Always read the label and product information before use.

**Application:** For use only as a wood preservative in industrial installations or for professional treatment only. Not for use on internal timbers of residential properties.

**Coverage:** Approximately 1 Litre per 8 - 10 square metres depending upon the texture and porosity of the timber to be treated.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
20L Drum Dark Brown	81362070	5010789362072	-	-	-	28	14	2

## TIMBERCARE SHED & FENCE TREATMENT

Bartoline Timbercare has been developed to provide long-lasting, high water repellence for all rough sawn timbers. It helps wood to resist UV rays and protects against the natural elements that cause fading and decay. A low odour, low VOC product with a quick drying time makes this perfect for protecting garden timber. Available in Light Oak, Dark Oak, Forest Green and Red Cedar all of which are touch dry after 2 hours.


**Application:** All rough sawn timber including fences, sheds, trellises and gates. Not suitable for use on planed timber, hardwood or decking boards.

**Coverage:** 5 Litres will cover up to 20 metres square depending upon the nature and porosity of the timber.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
5L Tub Light Oak	58490081	5010789490089	05010789563738	2	50	100	10	5
5L Tub Dark Oak	58490091	5010789490096	05010789779252	2	50	100	10	5
5L Tub Forest Green	58490101	5010789490102	05010789737146	2	50	100	10	5
5L Tub Red Cedar	58490111	5010789490119	05010789760908	2	50	100	10	5



## TEAK OIL

Bartoline Teak Oil has been specially formulated to replace natural wood oils in hardwoods such as Oak and Teak, giving back the sheen that is lost after long periods of weathering. Contains a solvent carrier to aid penetration, is suitable for use either inside or out, and is easy to apply with a cloth or brush. A handy ready-to-use trigger spray is also available.

**Application:** Garden furniture and traditional matt finished interior furniture.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
250ml Bottle	26214890	5010789214890	05010789329440	12	174	2088	29	6
500ml Bottle	26214940	5010789214944	05010789593643	6	144	864	36	4
500ml Trigger Spray	26214560	5010789214562	05010789662455	6	124	744	31	4
1L Bottle	26214670	5010789214678	05010789884901	6	81	486	27	3
2L Bottle	26215360	5010789215361	05010789215378	8	44	352	11	4
5L Bottle	26215170	5010789215170	05010789215187	4	40	160	10	4
20L Drum	26212070	-	-	-	-	42	14	3

## BOILED LINSEED OIL

Bartoline Boiled Linseed Oil is suitable for use on soft wood garden furniture. The oil protects wood from drying out after long periods in the sun and gives wood a natural sheen that lasts. Also contains additives to speed up the drying process. Hardwoods such as Oak and Teak should be treated with Bartoline Teak Oil.

**Application:** Replaces the natural oils in wood.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
250ml Bottle	26464890	5010789464899	05010789419714	12	174	2088	29	6
500ml Bottle	26464940	5010789464943	05010789450588	6	144	864	36	4
2L Bottle	26465360	5010789465360	05010789465377	8	44	352	11	4
5L Bottle	26465170	5010789465179	05010789465186	4	40	160	10	4
20L Drum	26462070	-	-	-	-	42	14	3
205L Drum	26460500	-	-	-	-	4	4	1

## RAW LINSEED OIL

Bartoline Raw Linseed Oil replaces the natural oils that wood loses over time. It is suitable for all wood types and is very water resistant making it ideal for garden furniture. This popular traditional wood treatment has been used for generations and can be applied both internally and externally on unpolished surfaces. Hardwoods such as Oak and Teak should be treated with Bartoline Teak Oil.

**Application:** Garden furniture, stone floors, terracotta tiling, wooden sports equipment and musical instruments.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
250ml Bottle	26444890	5010789444891	05010789555955	12	174	2088	29	6
500ml Bottle	26444940	5010789444945	05010789472511	6	144	864	36	4
2L Bottle	26445360	5010789445362	05010789445379	8	44	352	11	4
5L Bottle	26445170	5010789445171	05010789445188	4	40	160	10	4
20L Drum	26442070	-	-	-	-	42	14	3
205L Drum	26440500	-	-	-	-	4	4	1

## PATENT KNOTTING

Bartoline Patent Knotting solution is a quick drying alcohol-based natural lacquer and synthetic resin solution suitable for sealing knots and resinous areas of bare timber prior to the application of paints, waxes or polishes.

The film-forming resins in Patent Knotting are unaffected by natural tree sap as well as being insoluble in hydrocarbon solvents such as White Spirit, which are normally used in traditional alkyl-based primers and decorative coatings. The insolubility and oil-resistance of this resin prevents any interaction between the paint and the softwood sap resins which remain concentrated around the knots. Touch dry in 5-10 minutes and can be re-coated after 30 minutes under normal conditions.

**Application:** Sealing knots in all types of soft timbers such as doors, skirtings, stair rails and window frames. Cannot be overpainted with paints containing alcohol.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Bottle	55625000	5010789625009	05010789259280	6	156	936	39	4



# Sealants

A range of sealants and putties for the casual and serious DIYer, as well as professional tradesmen.

Products include decorators caulk, silicone sealants and Superstik grab adhesives

**Decorators Caulk / Flexible Filler • Multi Purpose Silicone Sealant • Superstik Grab Adhesive  
Frame Sealant • Shower & Bath Sealant • Roof & Gutter Sealant • Linseed Oil Putty**



## DECORATORS CAULK / FLEXIBLE FILLER

Bartoline Decorators Caulk/Flexible Filler is a flexible acrylic filler and sealant ideal for sealing interior gaps and cracks. An easy to apply and quick drying filler that adheres to most surfaces and remains permanently flexible.

Decorators Caulk/Flexible Filler may be used prior to painting or papering to prevent unsightly cracks developing at a later stage. Can be overpainted with emulsion paint after 1-2 hours of application and conforms to the harmonised European standard EN 15651-1 for façade interior applications.

**Application:** Sealing interior gaps or cracks where movement can occur such as between plasterwork, window frames, doorframes, skirting boards, fitted furniture and architraves. Dries quickly and may be overpainted with latex paint in about an hour. Not suitable for use on bituminous asphalt substrates or in areas with continuous exposure to water.

380ml Trade packs are available in White, Magnolia and Brown.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
310ml Cartridge White	52760000	5010789760007	05010789760014	12	128	1536	32	4
380ml Cartridge White	52760010	5010789760014	05010789760021	12	84	1008	28	3
380ml Cartridge Magnolia	52760040	5010789760045	05010789760052	12	84	1008	28	3
380ml Cartridge Brown	52760030	5010789760038	05010789760045	12	84	1008	28	3
300g Squeezy Tube	52720505	5010789720506	05010789558550	6	236	1416	59	4

## MULTI PURPOSE SILICONE SEALANT

Bartoline Multi Purpose Silicone Sealant is a versatile acetoxysilicone sealant for use in areas subject to high humidity such as showers, bathrooms and kitchens where a long-lasting watertight seal is required. Available in white, clear and brown which all conform to the harmonised European standards regarding sealants for non-structural use in joints in buildings and pedestrian walkways EN 15651-1 (Sealants for facade elements) and EN 15651-3 (Sealants for sanitary joints).

**Application:** Can be used to seal around windows, door frames, kitchen worktops, baths, basins, showers and all sanitary ware. Not for use in aquariums, in conjunction with bitumen, or asphalt, on substrates that may bleed oils, solvent or plasticisers; for perimeter pointing of UPVC; or on soft metals such as lead and brass. May not be over painted.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
300ml Cartridge White	52750100	5010789750107	05010789750114	12	128	1536	32	4
300ml Cartridge Clear	52750200	5010789750206	05010789750213	12	128	1536	32	4
300ml Cartridge Brown	52750300	5010789750305	05010789750312	12	128	1536	32	4

## SUPERSTIK GRAB ADHESIVE

Bartoline Superstik High Strength Grab Adhesive is a quick grab building adhesive for use in many industry applications, or just around the home. Also available in a solvent-free formulation.

Bartoline Superstik Solvent-Free Grab Adhesive is a ready to use adhesive based on acrylic dispersions used on most common building surfaces where solvent-based versions are not appropriate. Available in both cartridge and handy squeeze tube format they are safe and easy to use, have excellent grab properties and may be overpainted and dry white.

All three products may replace nails and screws for a cleaner and neater finish.

**Application:** Applying dado rails, architraves, skirting boards, picture rails, carpet grippers, decorative wall panelling, floor boards, plasterboard, automotive trims and many others. Will adhere to most materials including wood, brick, stone and concrete and may be used both internally and externally. Not for use on damp surfaces, surfaces permanently exposed to water, as a mirror adhesive, on polystyrene/Styrofoam or expanded polyurethane.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
295ml High Strength Cartridge	52800010	5010789800017	05010789800024	12	128	1536	32	4
310ml Solvent-Free Cartridge White	52800020	5010789800024	05010789800031	12	140	1680	35	4
300g Solvent-Free Tube White	52800060	5010789800062	05010789333126	6	236	1416	59	4

## FRAME SEALANT

Bartoline Frame Sealant is a flexible acrylic sealant which has been specifically developed for sealing interior gaps and cracks where movement can occur, such as between window frames and door frames. Easy to apply, dries quickly and conforms to the harmonised European standard EN 15651-1 for façade interior applications. Use prior to painting or papering to prevent unsightly cracks developing at a later stage. Can also be used for sealing joints in skirting boards, dado rails, etc.

**Application:** Will adhere to most building materials such as wood, metal, brick, stone and concrete. Not suitable for use on PE, PP, PMMA, PC, PTFE, neoprene and bituminous substrates, nor for areas continuously exposed to water.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
310ml Cartridge White	52770100	5010789770105	05010789770112	12	128	1536	32	4
310ml Cartridge Brown	52770300	5010789770303	05010789770310	12	128	1536	32	4

## SHOWER & BATH SEALANT

Bartoline Shower and Bath Sealant is a competitively priced acrylic sealant used for sealing around baths, basins, sinks, showers and worktops. A flexible and very easy to apply product, which dries brilliant white, and conforms to the harmonised European standards regarding sealants for non-structural use in joints in buildings and pedestrian walkways EN 15651-1 (Sealants for facade elements) and EN 15651-3 (Sealants for sanitary joints).

**Application:** Ideal for sealing around most baths, showers, sinks, basins and worktops. Not suitable for continuous exposure to water or around shower trays.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
310ml Cartridge White	52780100	5010789780104	05010789780111	12	128	1536	32	4



## ROOF & GUTTER SEALANT

Bartoline Roof & Gutter Sealant has been specially developed for repairing leaks in gutters, down pipes and flashing. Can also be used for bedding roofing sheets, tiles, felts and joint sealing between corrugated iron sheeting. Provides a permanent water resistant and weatherproof seal.

**Application:** Fills and seals gaps/cracks in most roofing applications. Bonds to concrete, roofing felt, lead, zinc, steel and masonry. Not suitable for use on glass, white uPVC or internal applications. When cured it will always be tacky to the touch so not advised for use in applications where physical surface contact is likely.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
295ml Cartridge Black	52790010	5010789790011	05010789790028	12	128	1536	32	4

## LINSEED OIL PUTTY

Bartoline Multi Purpose Linseed Oil Putty is a traditional blend of high-quality linseed oil and fillers, used for generations. Specially formulated for glazing both wood and metal window frames and used by both the professional tradesman as well as the home owner. Equally useful as a general wood filler.

**Application:** Bedding and external fronting single glass into primed softwood and hardwood frames which will subsequently be painted. For glazing primed metal frames and single glass into concrete or stone surrounds after prior sealing with an appropriate sealer. Not for use directly against laminated glass, for bead glazing systems or on insulated glass units.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
0.5Kg Tub Natural	55340010	5010789340018	05010789340025	12	120	1440	20	6
1Kg Tub Natural	55340020	5010789340025	05010789340032	12	60	720	20	3
2Kg Tub Natural	55340030	5010789340032	05010789340049	6	60	360	10	6



# Home & Garden

Supplementing the extensive range of decorating sundries, we also supply the Home & Garden market

**Premium Paraffin • Barbecue Lighting Fluid • Clear Lamp Oil**  
**Fungicidal Wash • All Purpose Wipes • Caustic Soda**



## PREMIUM PARAFFIN

Bartoline Premium Paraffin is a clean burning, low sulphur, high smoke point liquid fuel refined to BS.2869 C1 and may be used in all appliances recommended by original heater equipment manufacturers.

Suitable for greenhouse and room heaters requiring a fuel that meets BS.2869 C1. Always read the manufacturer's instructions.

**Application:** Room and greenhouse heaters.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
4L Bottle	15135240	5010789135249	05010789135256	4	40	160	10	4

## BARBECUE LIGHTING FLUID

Bartoline Barbecue Lighting Fluid is a quick, simple, safe and effective way to ignite traditional charcoal barbecues. Enables charcoal to burn evenly, rather than having 'hot spots' created by solid firelighter type ignition methods, resulting in an even temperature over the coals. The product is non-explosive and will not flash so is also useful as a starter for bonfires.

**Application:** Ignition of traditional charcoal barbecues and bonfires.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
1L Bottle	15145370	5010789145378	05010789145385	12	70	840	14	5

## LAMP OIL

Bartoline Lamp Oil is a refined hydrocarbon low odour oil fuel with low smoke properties making it a popular choice for consumers both inside and out.

**Application:** For use on modern and traditional oil lamps. Always check the lamp manufacturer's instructions, and ensure the wick is kept trimmed.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
1L Bottle	15146666	5010789454067	05010789454074	12	70	840	14	5

## FUNGICIDAL WASH

Bartoline Fungicidal Wash kills and inhibits the growth of mould, algae, lichen and mildew. It prevents the reappearance of unsightly re-growths for up to 6 months and can be used both inside and outside. Contains: BENZALKONIUM CHLORIDE 1.5% w/w (15g/l). This product is approved under The Control of Pesticides Regulations 1986 (as amended). HSE No. 9626. Use biocides safely. Always read the label and product information before use. Available in a bottle or handy trigger spray.

**Application:** For use only as a surface biocide for amateur use against mould, algae, lichen and mildew on internal and external hard surfaces such as brick, stone, wood and plaster.

**Coverage:** approximately 500ml per 2.5 square metres.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500ml Trigger Spray	57504580	5010789504588	05010789608958	6	124	744	31	4
4L Bottle	57504601	5010789504601	05010789111922	4	40	160	10	4

## ALL PURPOSE WIPES

Bartoline All Purpose Wipes are perfect for removing even the most stubborn dirt stains from hands or tools at the end of a hard days' work. Each cleaning wipe is packed with a special solution to rapidly remove dirt, paint, oil, grease, etc., easily and safely without any need to scrub. Aloe Vera ensures kindness to hands. The handy tub dispenser means no fuss - just quick and easy to use.

**Application:** No rinsing required making them ideal for all trades, allotment and garden use, including decorating and DIY.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
80XL Tub	16950010	5010789950019	05010789540265	6	60	360	15	4

## CAUSTIC SODA

Bartoline Caustic Soda is an extremely effective traditional drain unblocking granular formulation for mixing with cold water.

**Application:** Used for unblocking drains and pipes. Excellent for use as a general household cleaner. Can also be used for a variety of other heavy-duty tasks such as sanitising and cleaning dustbins, toilets, stables, kennels, paths, patios, driveways and brickwork.



### Packing Specification:

Pack Size	Product Code	Pack Barcode	Carton Barcode	Packs Per Carton	Cartons Per Pallet	Packs Per Pallet	TI	HI
500g Bottle	59970250	5010789970253	05010789970260	6	105	630	35	3

## Standard Terms and Conditions of Sale - November 2018

**Attention: The Buyer**

Unless otherwise agreed in writing by Bartoline Limited all goods are supplied on the following conditions to the exclusion of (a) any terms or conditions stipulated by the Buyer and (b) any representations warranties or communications not expressly incorporated in these terms and conditions.

**1. INTERPRETATION****1.1 In these Conditions:**

'BUYER' means the person who accepts the Company's written quotation for the sale of the Goods or whose written order for the Goods is accepted by the Company;

'COMPANY' means Bartoline Limited (registered in England and Wales under number 122306) whose registered office is at Barmston Close Beverley East Yorkshire HU17 0LW;

'CONDITIONS' means the standard conditions of sale set out in this document and (unless the context otherwise requires) includes any special terms agreed in Writing between the Buyer and the Company;

'CONTRACT' means the contract for the sale and purchase of the Goods;

'GOODS' means the goods (including any instalment of the goods or any parts for them) which the Company is to supply in accordance with these Conditions;

'WRITING' and any similar expression includes facsimile transmission and email.

1.2 A reference in these Conditions to a provision of a statute shall be construed as a reference to that provision as amended, re-enacted or extended at the relevant time.

1.3 The headings in these Conditions are for convenience only and shall not affect their interpretation.

**2. BASIS OF THE SALE**

2.1 The Company shall sell and the Buyer shall purchase the Goods in accordance with the Company's Written quotation (if accepted by the Buyer), or the Buyer's Written order (if accepted by the Company), subject in either case to these Conditions, which shall govern the Contract to the exclusion of any other terms subject to which any such quotation is accepted or purported to be accepted, or any such order is made or purported to be made, by the Buyer.

2.2 No variation to these Conditions shall be binding unless agreed in Writing between the authorised representatives of the Buyer and the Company.

2.3 The Company's employees or agents are not authorised to make any representations concerning the Goods unless confirmed in Writing by the Company. In entering into the Contract the Buyer acknowledges that it does not rely on any such representations which are not so confirmed, but nothing in these Conditions affects the liability of either party for fraudulent misrepresentation.

2.4 Any advice or recommendation given by the Company or its employees or agents to the Buyer or its employees or agents as to the storage, application or use of the Goods which is not confirmed in Writing by the Company is followed or acted upon entirely at the Buyer's own risk, and accordingly the Company shall not be liable for any such advice or recommendation which is not so confirmed.

2.5 Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Company shall be subject to correction without any liability on the part of the Company.

**3. ORDERS AND SPECIFICATIONS**

3.1 No order submitted by the Buyer shall be accepted or deemed to be accepted by the Company unless and until confirmed in Writing by the Company's authorised representative.

3.2 The Buyer shall be responsible to the Company for ensuring the accuracy of the terms of any order (including any applicable specification) submitted by the Buyer, and for giving the Company any necessary information relating to the Goods within a sufficient time to enable the Company to perform the Contract in accordance with its terms.

3.3 The quantity, quality and description of the Goods and any specification for them shall be as set out in the Company's quotation (if accepted by the Buyer) or the Buyer's order (if accepted by the Company).

3.4 If the Goods are to be manufactured or any process is to be applied to the Goods by the Company in accordance with a specification submitted by the Buyer, the Buyer shall indemnify the Company against all loss, damages, costs and expenses awarded against or incurred by the Company in connection with, or paid or agreed to be paid by the Company in settlement of, any claim for infringement of any patent, copyright, design, trade mark or other industrial or intellectual property rights of any other person which results from the Buyer's use of the Buyer's specification.

3.5 The Company reserves the right to make any changes in the specification of the Goods which are required to conform to any applicable statutory or E.U. requirements or which do not materially affect their quality or performance.

3.6 No order which has been accepted by the Company may be cancelled by the Buyer except with the agreement in Writing of the Company and on terms that the Buyer shall indemnify the Company in full against all loss (including loss of profit), costs (including the cost of all labour and materials used), damages, charges and expenses incurred by the Company as a result of cancellation.

**4. PRICE**

4.1 The price of the Goods shall be the Company's quoted price or, where no price has been quoted (or a quoted price is no longer valid), the price listed in the customers price list current at the date of acceptance of the order. All prices quoted are valid for 30 days only or until earlier acceptance by the Buyer, after which time they may be altered by the Company without giving notice to the Buyer.

4.2 The Company reserves the right, by giving Written notice to the Buyer at any time before delivery, to increase the price of the Goods to reflect any increase in the cost to the Company which is due to any factor beyond the control of the Company (such as, without limitation, any foreign exchange fluctuation, currency regulation, alteration of duties, significant increase in the costs of labour, materials or other costs of manufacture), any change in delivery dates, quantities or specifications for the Goods which is requested by the Buyer, or any delay caused by any instructions of the Buyer or failure of the Buyer to give the Company adequate information or instructions.

4.3 The price is exclusive of any applicable value added tax, which the Buyer shall be additionally liable to pay to the Company.

**5. PAYMENT**

5.1 Subject to any special terms agreed in Writing between the Buyer and the Company, the Company may invoice the Buyer for the price of the Goods on or at any time after delivery of the Goods, unless the Goods are to be collected by the Buyer or the Buyer fails to take delivery of the Goods, in which event the Company shall be entitled to invoice the Buyer for the price at any time after the Company has notified the Buyer that the Goods are ready for collection or (as the case may be) the Company has tendered delivery of the Goods.

5.2 The Company reserves the right to require payment of an invoice in cash on delivery or collection of the Goods.

5.3 Subject to sub-clause 5.2 the Buyer shall pay the price of the Goods within 30 days next following the month-end in which the Company's invoice was raised (the "Due Date") and the Company shall be entitled to recover the price, notwithstanding that delivery may not have taken place and property in the Goods has not passed to the Buyer. The time of payment of the price shall be of the essence of the Contract.

5.4 If the Buyer fails to make any payment on the Due Date then, without limiting any other right or remedy available to the Company, the Company may:

5.4.1 cancel the Contract and/or suspend all further deliveries to the Buyer;

5.4.2 appropriate any payment made by the Buyer to such of the Goods (or any goods supplied under any other contract between the Buyer and the Company) as the Company may think fit (notwithstanding any purported appropriation by the Buyer); and

5.4.3 charge interest on overdue invoices from the Due Date on a daily basis until full and final payment is received in accordance with the Commercial Debts (Interest) Act 1998 together with any regulations thereunder.

**6. CARRIAGE**

All prices are Carriage Paid to UK mainland, subject to the minimum order value as published by the Company from time to time.

**7. DELIVERY**

7.1 The place of delivery of the Goods shall be the United Kingdom address which has been nominated by the Buyer to the Company in writing prior to the date when the Goods are ready.

7.2 If no place of delivery within the United Kingdom has been so nominated then the Buyer shall collect the Goods from the Company's premises within a reasonable time.

7.3 The Company reserves the right to deliver the Goods or have the Goods ready for collection (as the case may be) by instalments. Where the Goods are to be delivered in instalments, each delivery shall constitute a separate contract and failure by the Company to deliver any one or more of the instalments in accordance with these Conditions or any claim by the Buyer in respect of any one or more instalments shall not entitle the Buyer to treat the Contract as a whole as repudiated.

7.4 Any date or period given by the Company for delivery or collection of the Goods shall be approximate only although the Company shall make every effort to meet a delivery date and no delivery date given shall be regarded as being overdue until the Buyer has made a written request to the Company for delivery and given to the Company a reasonable time within which to comply with it.

7.5 In the case of all deliveries to the Buyer's nominated place, the Buyer must provide safe and suitable access from a public road to the place of delivery and all proper means to affect safe delivery. The Buyer shall make all arrangements to take delivery of the Goods whenever they are tendered for delivery.

7.6 The Buyer will indemnify the Company against any third party claim and all costs and expenses attributable thereto (as well as against any extra costs or expenses incurred by the Company) arising from any failure by the Buyer to make such provision referred to in sub-clause 7.5.

7.7 The Buyer will be responsible for unloading the Goods on delivery and providing the necessary means for unloading.

7.8 No claim shall arise against the Company if the quantities are above or below the quantities stipulated in the Contract.

7.9 If the Company fails to deliver the Goods (or any instalment) for any reason other than (i) any cause beyond the Company's reasonable control or (ii) the Buyer's default, and the Company is accordingly liable to the Buyer, the Company's liability shall be limited to the excess (if any) over the price of the Goods of the cost to the Buyer (in the cheapest available market) of similar goods to replace those Goods not delivered.

7.10 If the Buyer fails to take delivery of the Goods or fails to give the Company adequate delivery instructions at the time stated for delivery (otherwise than by reason of any cause beyond the Buyer's reasonable control or by reason of the Company's default) then, without limiting any other right or remedy available to the Company, the Company may:

7.10.1 store the Goods until actual delivery and charge the Buyer for the reasonable costs (including insurance) of storage; or

7.10.2 sell the Goods at the best price readily obtainable and charge the Buyer for any shortfall below the price under the Contract, taking into account the cost of all reasonable storage and selling expenses.

**8. SHORTAGES AND DAMAGES IN TRANSIT**

8.1 Where the Goods are to be collected from the Company's premises, no claim for breakage, loss, shortfall or damage to the Goods shall be accepted by the Company.

8.2 Where the Goods are to be delivered by the Company or its agents to the Buyer, the Company will not accept:

8.2.1 claims of any kind unless notified to the Company in writing within 14 days of delivery;

8.2.2 claims for non-delivery of or damage to the Goods in transit unless notified to the Company in writing within 14 days of the despatch date or, if the Goods are not carried by the Company or its agents within the time limit specified by the carrier of the Goods, if shorter; or

8.2.3 any liability under section 32(2) of the Sale of Goods Act 1979.

8.3 The Buyer must comply with all conditions required by the carrier of the Goods if other than the Company or its agents for the notification of any loss, breakage, damage or shortage and in the event of non-compliance with any such conditions or with the Conditions the Company reserves the right to reject a claim for any loss, breakage, damage or shortage.

## 9. TITLE AND RISK

9.1 Risk of damage to or loss at the Goods shall pass to the Buyer:

9.1.1 in the case of Goods to be delivered at the Company's premises, at the time when the Company notifies the Buyer that the Goods are available for collection; or

9.1.2 in the case of Goods to be delivered otherwise than at the Company's premises, at the time of delivery or, if the Buyer fails to take delivery of the Goods, the time when the Company has tendered delivery of the Goods.

9.2 Notwithstanding delivery and the passing of risk in the Goods, or any other provision of these Conditions, property in the Goods shall remain with the Company until all sums due and owing by the Buyer to the Company on any account have been paid.

9.3 Pending the transfer of the property in the Goods:-

9.3.1 the Buyer shall hold the Goods as the Company's bailee and shall keep the Goods separate from those of the Buyer and third parties and properly stored, protected, insured and identified as the Company's property;

9.3.2 the Buyer shall deal with Goods in the ordinary course of business only, which excludes dealings with Goods after the Buyer has entered into an insolvency situation; and

9.3.3 the Company may at any time require the Buyer to deliver up the Goods to the Company and in default the Buyer hereby grants the Company a licence to enter upon any premises of the Buyer and any third party where the Goods are stored and repossess the Goods.

## 10. CONTAINERS

No container in which the Goods are supplied shall be re-used by the Buyer or disposed of in any way to a third party without the Company's prior consent in Writing.

## 11. LIABILITY

11.1 Subject to the following provisions the Company warrants that the Goods will correspond with their specification at the time of delivery and will be free from defects in material and workmanship for a period of 6 months from the date of their initial use or 6 months from delivery, whichever is the first to expire.

11.2 The above warranty is given by the Company subject to the following conditions:

11.2.1 the Company shall be under no liability in respect of any defect in the Goods arising from any drawing, design or specification supplied by the Buyer;

11.2.2 the Company shall be under no liability in respect of any defect arising from fair wear and tear, wilful damage, negligence, abnormal working conditions, failure to follow the Company's instructions (whether oral or in Writing), misuse or alteration or repair of the Goods without the Company's approval;

11.2.3 the Company shall be under no liability under the above warranty (or any other warranty, condition or guarantee) if the total price for the Goods has not been paid by the due date for payment;

11.2.4 the above warranty does not extend to parts, materials or equipment not manufactured by the Company, in respect of which the Buyer shall only be entitled to the benefit of any such warranty or guarantee as is given by the manufacturer to the Company.

11.3 The Buyer shall indemnify the Company against any claims for royalties or other sums and against any claims for damages made against the Company as a result of the Company or its agents manufacturing products or using labels or printed matter or packaging prepared to the specification of the Buyer in so far as the design and layout of the labels or the printed matter or the manufacture of the products or packaging shall infringe any patent registered design trade mark or other rights which may be claimed.

11.4 The Goods supplied shall be of normal industrial quality unless otherwise agreed in Writing. All warranties or conditions as to the quality or fitness for any purpose except where expressly stated by the Company are excluded.

11.5 Where a valid claim in respect of any of the Goods which is based on a defect in the quality or condition of the Goods or their failure to meet specification is notified to the Company in accordance with these Conditions, the Company may replace the Goods (or the part in question) free of charge or, at the Company's sole discretion, refund to the Buyer the price of the Goods (or a proportionate part of the price), in which case the Company shall have no further liability to the Buyer.

11.6 Subject as expressly provided in these Conditions, and except where the Goods are sold to a person dealing as a consumer (within the meaning of the Unfair Contract Terms Act 1977), all warranties, conditions or other terms implied by statute or common law are excluded to the fullest extent permitted by law.

11.7 A claim by the Buyer which is based on any defect in the quality or condition of the Goods or their failure to correspond with specification shall (whether or not delivery is refused by the Buyer) be notified to the Company within seven days from the date of delivery or, where the defect or failure was not apparent on reasonable inspection, within a reasonable time after discovery of the defect or failure. If delivery is not refused, and the Buyer does not notify the Company accordingly, the Buyer shall not be entitled to reject the Goods and the Company shall have no liability for such defect or failure, and the Buyer shall be bound to pay the price as if the Goods had been delivered in accordance with the Contract.

11.8 Except in respect of death or personal injury caused by the Company's negligence, or liability for defective products under the Consumer Protection Act 1987, the Company shall not be liable to the Buyer by reason of any representation (unless fraudulent), or any implied warranty, condition or other term, or any duty at common law, or under the express terms of the Contract, for loss of profit or for any indirect, special or consequential loss or damage, costs, expenses or other claims for compensation whatsoever (whether caused by the negligence of the Company, its employees or agents or otherwise) which arise out of or in connection with the supply of the Goods (including any delay in supplying or any failure to supply the Goods in accordance with the Contract or at all) or their use or resale by the Buyer, and the entire liability of the Company under or in connection with the Contract shall not exceed the price of the Goods, except as expressly provided in these Conditions.

11.9 The Company shall not be liable to the Buyer or be deemed to be in breach of the Contract by reason of any delay in performing, or any failure to perform, any of the Company's obligations in relation to the Goods, if the delay or failure was due to any cause beyond the Company's reasonable control. Without limiting the foregoing, the following shall be regarded as causes beyond the Company's reasonable control:

11.9.1 Act of God, explosion, flood, tempest, ash cloud, fire or accident;

11.9.2 war or threat of war, sabotage, insurrection, civil disturbance or requisition;

11.9.3 acts, restrictions, regulations, by-laws, prohibitions or measures of any kind on the part of any governmental, parliamentary, E.U., or local authority;

11.9.4 import or export regulations or embargoes;

11.9.5 strikes, lock-outs or other industrial actions of trade disputes (whether involving employees of the Company or of a third party);

11.9.6 difficulties in obtaining raw materials, labour, fuel, parts or machinery;

11.9.7 power failure or breakdown in machinery.

## 12. WAIVER

No waiver by the Company of any breach of the Contract by the Buyer shall be considered as a waiver of any subsequent breach of the same or any other provision.

## 13. CANCELLATION

If any order for the Goods is cancelled by the Buyer the Company reserves the right to recover all of its administration or other costs or expenses incurred in the execution or partial execution of the Contract in addition to pursuing any other rights the Company has against the Buyer at common law or by statute.

## 14. NON-STANDARD LABELS AND PRINTED MATTER

14.1 The cost incurred by the Company under the Contract for the manufacture or supply of any labels, printed matter or packaging specified by the Buyer will normally be included in the composite cost of the Goods.

14.2 The Buyer shall be responsible, in the event of cancellation of the Contract or any order, for payment for the residual stocks held and contracted for by the Company.

## 15. EXPORT

Unless otherwise agreed in writing by the Company at the date of the Contract, no Goods supplied or manufactured by the Company pursuant to any order from the Buyer shall be exported by the Buyer or supplied for export to a third party or be supplied by the Buyer to a third party for use in products made or manufactured for export.

## 16. INSOLVENCY OF BUYER

16.1 This clause applies if:

16.1.1 the Buyer makes a voluntary arrangement with its creditors or (being an individual or firm) becomes bankrupt or (being a company) becomes subject to an administration order or goes into liquidation; or

16.1.2 an encumbrancer takes possession, or a receiver is appointed, of any of the property or assets of the Buyer; or

16.1.3 the Buyer ceases, or threatens to cease, to carry on business; or

16.1.4 the Company reasonably apprehends that any of the events mentioned above is about to occur in relation to the Buyer and notifies the Buyer accordingly.

16.2 If this clause 16 applies then, without limiting any other right or remedy available to the Company, the Company may cancel the Contract or suspend any further deliveries under the Contract without any liability to the Buyer, and if the Goods have been delivered but not paid for the price shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.

## 17. GENERAL

17.1 The Buyer may not assign any of its rights or obligations under the Contract without the prior written consent of the Company.

17.2 The Buyer will at all times keep confidential all information acquired in consequence of or pursuant to this Contract save as may be required by law or where such information is in the public domain other than due to the Buyer's breach.

17.3 A notice to be given by either party to the other under these Conditions shall be in writing addressed to that other party at its registered office or principal place of business.

17.4 No waiver by the Company of any breach of the Contract by the Buyer shall be considered as a waiver of any subsequent breach of the same or any other provision.

17.5 If any provision of the Contract is held by a court or other competent authority to be invalid or unenforceable in whole or in part, the validity of the other provisions of the Contract and the remainder of the provision in question shall not be affected.

17.6 If the Buyer is a limited company, all of its directors shall indemnify jointly and severally the Company against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other reasonable professional costs and expenses) suffered or incurred by the Company arising out of or in connection with any breach of the Contract by the Buyer.

17.7 The Buyer acknowledges and by submitting an order consents to the processing and disclosure by the Company of personal data relating to the Buyer relevant to any credit which may from time to time be afforded by the Company to credit reference agencies, banks and credit insurers and that such organisations may process the data provided.

17.8 The Contract shall be governed by and construed in accordance with the law of England and Wales and each party agrees to submit to the jurisdiction of the courts of England and Wales.

17.9 For the purposes of the Contracts (Rights of Third Parties) Act 1999, the Contract is not intended to and does not give any person who is not a party to it any right to enforce any of its provisions.

17.10 These Conditions supersede all previous Company terms and conditions which are now cancelled.

# Bartoline



## BARTOLINE LIMITED

Barmston Close, Beverley, HU17 0LW, England

Tel: 01482 678710 | Fax: 01482 872606

E-mail: [info@bartoline.co.uk](mailto:info@bartoline.co.uk)

[www.bartoline.co.uk](http://www.bartoline.co.uk)

